

References - Buttonhole Technique

- Ball, L.K. (2006). The buttonhole technique for arteriovenous fistula cannulation. *Nephrology Nursing Journal*, 33(3):299-305.
- Ball, L. K. (2005). Improving arteriovenous fistula cannulation skills. *Nephrology Nursing Journal*, 32(6):611-618.
- Ball, L.K. (2005). The buttonhole technique power point presentation. Retrieved from <http://www.nwrenalnetwork.org/fist1st/cannu/buttonholecannulation.pdf>.
- Harper, G. (1997). The buttonhole technique of fistula access: a personal experience. *Home Hemodial Int.*, Vol. 1, 41-42.
- Hartig, V. & Smyth, W. (2009). "Everyone should buttonhole": A novel technique for a regional Australian renal service. *Journal of Renal Care*, 35(3), 114-119.
- Kronung, G. (1984). Plastic deformation of cimino fistula by repeated puncture. *Dialysis & Transplantation*, 13:10, 635-638.
- Marticorena, R.M., Hunter, J., Macleod, S., Petershoffer, R., Dacouris, N., Donnelly, S., and Goldstein, M. B. (2006). The salvage of aneurismal fistulae utilizing a modified buttonhole cannulation technique and multiple cannulators. *Hemodialysis International*, 10:193-100.
- Northwest Renal Network. Using the buttonhole technique for your AV fistula. Retrieved from www.nwrenalnetwork.org/fist1st/ButtonholeBrochureForPatients1.pdf.
- Peterson, P. (2002). Fistula cannulation - the buttonhole technique. *Nephrology Nursing Journal*, 28(2):195.
- Twardowski, Z.J. (1995). Constant site (buttonhole) method of needle insertion for hemodialysis. *Dialysis & Transplantation*, 24:10, 559-576.
- Twardowski, Z., & Kubara, H. (1979). Different sites versus constant site of needle insertion into arteriovenous fistulas for treatment by repeated dialysis. *Dialysis & Transplantation*, 8:978-980.
- University of Missouri – Columbia (Executive Producer). (2000). Buttonhole method of needle insertion into an AVF (Video). Columbia, MO: Twardowski.
- van Loon, M.M., Goovaerts, T., Kessels, A.G.H., van der Sande, F.M., and Tordoir, J.H.M. (2009). Buttonhole needling of haemodialysis arteriovenous fistulae results in less complications and interventions compared to the rope-ladder technique. *Nephrol Dial Transplant*, 1-6.
- Verhallen, A.M, Kooistra, M.P., and van Jaarsveld, B.C. (2007). Cannulating in haemodialysis: rope-ladder or buttonhole technique? *Nephrol Dial Transplant*, 1-4.